



Scheda	Loc X	Loc Y	Dimensione
A1	4,50	10	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A2	4,50	42,50	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A3	4,50	75	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A4	4,50	107,50	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A5	4,50	140	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A6	37	10	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A7	37	140	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A8	69,50	10	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A9	69,50	140	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A10	102	10	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A11	102	140	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A12	134,50	10	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A13	134,50	42,50	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A14	134,50	75	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A15	134,50	107,50	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
A16	134,50	140	$\varnothing$ 3,30 $\nabla$ 4,50 M4x0.7 - 6H $\nabla$ 2,40
C1	43,75	37,50	3 X 4
C2	96,25	37,50	3 X 4
E1	43,75	112,50	$\varnothing$ 3 THRU ALL
E2	96,25	112,50	$\varnothing$ 3 THRU ALL
F1	63	75	$\varnothing$ 3 THRU
F2	77	75	$\varnothing$ 3 THRU

Scheda	Loc X	Loc Y	Dimensione
G1	10	-115	$\varnothing$ 5,50 THRU ALL $\sqsupset$ $\varnothing$ 10,50 $\nabla$ 2,75
G2	10	-85	$\varnothing$ 5,50 THRU ALL $\sqsupset$ $\varnothing$ 10,50 $\nabla$ 2,75
G3	10	-55	$\varnothing$ 5,50 THRU ALL $\sqsupset$ $\varnothing$ 10,50 $\nabla$ 2,75
G4	10	-25	$\varnothing$ 5,50 THRU ALL $\sqsupset$ $\varnothing$ 10,50 $\nabla$ 2,75
G5	28	-115	$\varnothing$ 5,50 THRU ALL $\sqsupset$ $\varnothing$ 10,50 $\nabla$ 2,75
G6	28	-85	$\varnothing$ 5,50 THRU ALL $\sqsupset$ $\varnothing$ 10,50 $\nabla$ 2,75
G7	28	-55	$\varnothing$ 5,50 THRU ALL $\sqsupset$ $\varnothing$ 10,50 $\nabla$ 2,75
G8	28	-25	$\varnothing$ 5,50 THRU ALL $\sqsupset$ $\varnothing$ 10,50 $\nabla$ 2,75

DIMENSIONS ARE IN mm (millimeters) AND MUST BE CONSIDERED AFTER TREATMENT  Unless otherwise specified: GENERAL TOLERANCE AS PER : ISO 2768 - FH SURFACE FINISH Ra 3.2 micron  NOTE: - SURFACE TREATMENT: ANODIZING NO COLOR - REMOVE ALL BURRS AND BREAK SHARP EDGES - REFER TO CAD MODEL FOR UNDEFINED CONTOURS	ISTITUTO DI ASTROFISICA E PLANETOLOGIA SPAZIALE IAPS-INAF			
	AUTHOR : Carlo Lefevre		DRAWING TITLE	
	DATE : 21/10/2021		SHs BasePlate	
	DRAWING ID : IAPS-AGES-DRW-007		PART NUM CI 13100	
		PART NUMBER: CI 13100		
		ISSUE : 2		REV : 0
		PROPRIETARY AND CONFIDENTIAL: the information contained in this drawing is the sole property of IAPS-INAF, any reproduction in part or as a whole without the written permission of IAPS-INAF is prohibited.		
		Estimated weight : 737.82 [g]		SCALE:2:1
		SHEET 1 DI 1		A2